

INDEX

A

| | |
|-----------------------------------|---|
| ACCESS HATCHES | 402.2.3 |
| ADDITIONS AND ALTERATIONS | |
| Defined | 202 |
| AIR ECONOMIZERS | |
| Defined | 202 |
| Requirements | 503.3.1, 503.4.1, 503.4.5.3 |
| AIR INFILTRATION | |
| Defined | 202 |
| Requirements | 402.4.1, 402.4.2, 502.4.6 |
| AIR LEAKAGE | 402.4.2, 402.4.4, Table 405.5.2(1), 502.4, 503.2.7.1.3 |
| AIR SEALING | 402.4.2 |
| Testing option | 402.4.2.1 |
| Visual inspection | 402.4.2.2 |
| AIR SYSTEM BALANCING | 503.2.9.1 |
| APPROVED | |
| Defined | 202 |
| AUTOMATIC | |
| Defined | 202 |

B

| | |
|---|--|
| BALANCING | 503.2.9.1, 503.2.9.2 |
| BALLASTS | 505.1, 505.3 |
| BASEMENT WALLS | |
| Defined | 202 |
| Requirements | 303.2.1, Table 402.1.1, Table 402.1.3, 402.2.6, Table 405.5.2(1), Table 502.1.2, Table 502.2(1), 502.2.2.2, 502.2.4 |
| BELOW-GRADE WALLS (see BASEMENT WALLS) | |
| BI-LEVEL SWITCHING | 505.2.2.1 |
| BOILERS | Table 503.2.3(5), 503.4.3, 503.4.3.5, 504.2, Table 504.2 |
| BUILDING ENVELOPE | |
| Air tightness | 402.4.2 |
| Compliance documentation | 401.3 |
| Defined | 202 |
| Requirements | 402, 502 |
| Performance method | Table 405.5.2(1), 506.3 |

C

| | |
|---|--|
| CAULKING AND WEATHERSTRIPPING | 402.4.1, 502.4.1, 502.4.3 |
| CIRCULATING PUMPS | 503.4.3.3, 504.6 |
| CIRCULATING SYSTEMS | 403.4, 503.4.3.3, 503.4.3.5, 504.6, 504.7.2 |

| | |
|---|---|
| CLIMATE ZONES | 301, Figure 301.1, Table 301.1 |
| By state or territory | Figure 301.1, Table 301.1 |
| International climate zones .. | 301.3, Table 301.3(1), Table 301.3(2) |
| Warm humid | 301.2, Table 301.2, 301.3.1 |
| COEFFICIENT OF PERFORMANCE (COP) | Table 503.2.3(2), Table 503.2.3(7) |
| COMMERCIAL BUILDINGS | Chapter 5, 501.1 |
| Defined | 202 |
| Total building performance | 506 |
| COMMISSIONING OF HVAC SYSTEMS | 503.2.9 |
| Manuals | 503.2.9.3 |
| CONDITIONED FLOOR AREA | |
| Defined | 202 |
| CONDITIONED SPACE | |
| Defined | 202 |
| CONTROLS | |
| Capabilities | 503.2.2, 503.2.4.1, 503.2.4.3.1, 503.2.4.3.2, 503.2.5, 503.4.3.4, 503.4.3.5, 503.4.4, 504.3 |
| Economizers | 503.3.1, 503.4.1 |
| Energy recovery systems | 503.2.6 |
| Fan speed | 503.4.4 |
| Heat pump | 403.1.1, 503.2.4.1.1, 503.4.3.3 |
| Heating and cooling | 403.1, 503.2.2, 503.2.4, 503.4.5 |
| Hot water system | 504.6 |
| Humidity | 503.2.4.1, 503.2.6, 503.4.5 |
| Hydronic systems | 503.2.9.2, 503.3.2, 503.4.3 |
| Lighting | 505.2, 505.6.1, 505.6.2 |
| Off hour | 503.2.4.3 |
| Service water heating | 403.4, 504.3, 504.6 |
| Shutoff dampers | 403.5, 503.2.4.4, 503.4.5 |
| Temperature | 503.2.4.1, 503.2.4.2, 503.2.4.3.1, 503.4.3, 504.3 |
| Variable air volume systems | 503.4.2, 503.4.5 |
| Ventilation | 503.2.5 |
| COOLING SYSTEMS | |
| Hot gas bypass limitation | 503.4.7 |
| COOLING WITH OUTDOOR AIR | 503.3.1, 503.4.1 |
| CRAWL SPACE WALLS | |
| Defined | 202 |
| Requirements | 303.2.1, Table 402.1.1, Table 402.1.3, 402.2.8, Table 405.5.2(1) |

D

| | |
|------------------------------------|---------------------------------|
| DAYLIGHT ZONE CONTROL | 505.2.2.3 |
| DEADBAND | 503.2.4.2, 503.4.3.2, 403.4.3.3 |

DEFINITIONS Chapter 2
DEGREE DAY COOLING Table 301.3(2)
DEGREE DAY HEATING Table 301.3(2)
DEMAND CONTROL VENTILATION (DCV) . . 503.2.5.1
DESIGN CONDITIONS Chapter 3, 302
DUAL DUCT VAV 503.4.5.2, 503.4.5.3
DUCTS
 Defined 202
 Insulation 401.3, 403.2, 503.2.7, 503.2.7.1.2, 503.2.7.1.3
 Sealing 503.2.7, 503.2.7.1.2, 503.2.7.1.3
DWELLING UNIT
 Defined 202

E

ECONOMIZER
 Air 503.3.1, 503.4.1
 Defined 202
 Requirements 503.3.1, 503.4.1, 503.4.5.3
 Water 503.4.1
ELECTRICAL METERS 505.7
ELECTRICAL POWER AND LIGHTING 404, 505
ENERGY ANALYSIS, ANNUAL
 Defined 202
 Documentation 405.4, 506.4
 Requirements 405.3, 506
ENERGY EFFICIENCY RATIO (EER) 503.2.3, 503.3.1, 503.4.1
ENERGY RECOVERY VENTILATION SYSTEMS
 Defined 202
 Requirements Table 405.5.2(1), 503.2.1, 503.2.6
ENERGY SIMULATION TOOL
 Defined 202
 Requirements/use 405, 506, 506.2.1, 506.5.3, 506.5.4
ENVELOPE, BUILDING THERMAL
 Defined 202
ENVELOPE DESIGN PROCEDURES 402, 502
EQUIPMENT EFFICIENCIES 401.3, 503.2.3, 503.3.1, 503.4.1, 504.2
EQUIPMENT PERFORMANCE REQUIREMENTS 503.2.3
 Boilers Table 503.2.3(5)
 Condensing units Table 503.2.3(6)
 Economizer exception Table 503.3.1(2)
 Packaged terminal air conditioners and heat pump Table 503.2.3(3)
 Unitary air conditioners and condensing units Table 503.2.3(1)

Unitary and applied heat pumps . . . Table 503.2.3(2)
 Warm air duct furnaces and unit heaters Table 503.2.3(4)
 Warm air furnaces Table 503.2.3(4)
 Warm air furnaces/air-conditioning units Table 503.2.3(4)
 Water chilling packages, standard . Table 503.2.3(7)
 Water heating 504.2
EXTERIOR LIGHTING 505.6
EXTERIOR SHADING Table 502.3, 502.3.2
EXTERIOR WALLS
 Defined 202
 Thermal performance 402, 402.1.1, Table 405.5.2(1), 502, 502.2.2

F

FAN FLOOR HORSEPOWER 503.2.10.1
FENESTRATION 303.1.3, 402.3, 402.4.2, 502.3, 502.4
 Defined 202
 Rating and labeling 303.1.3, 402.1.1, 402.6, 502.1.1
FIREPLACES 402.4.3
FURNACE EFFICIENCY Table 405.5.2(1), Table 503.2.3(4)

G

GUESTROOMS (see SLEEPING UNIT)
GLAZING AREA
 Requirements . . . 402.3.3, 402.3.5, Table 404.5.2(1)

H

HEAT PUMP 403.1.1, Tables 503.2.3(2, 3), 503.2.4.1.1, 503.4.3.3
HEAT TRAPS 504.4, 504.5
 Defined 202
HEATING AND COOLING LOADS 302.1, 403.1.2, 503.2.1, 503.2.2, 503.2.3, 503.2.4.1.1, 503.2.4.3, 503.3.1, 503.4.2
HEATING OUTSIDE A BUILDING 503.2.11
HOT BYPASS 503.4.7
HOT WATER 504.2
 Annual energy performance 405.1
 Piping insulation 403.4, 503.2.8, 504.5
 System controls 503.4.6, 504.3, 504.6
HUMIDISTAT
 Defined 202
 Requirements 503.2.4.1, 503.2.6, 503.4.5
HYDRONIC HEAT PUMP SYSTEMS 503.4.3.3
HYDRONIC SYSTEM BALANCING 503.2.9.2

I

IDENTIFICATION (MATERIALS, EQUIPMENT AND SYSTEM) 303.1

INDIRECTLY CONDITIONED SPACE (see CONDITIONED SPACE)

INFILTRATION, AIR LEAKAGE 402.4, Table 405.5.2(1), 502.4

 Defined 202

INSULATION

 Identification 303.1

 Installation 303.1.1, 303.1.1.1, 303.1.2, 303.2

 Product rating 303.1.4

 Requirements 402.1.1, 402.2, 502.1, 502.2

INSULATING SHEATHING

 Defined 202

 Requirements Table 402.1.1, 402.1.2, Table 502.2(1), 502.2.3

INTEGRATED PART LOAD VALUE (IPLV) Tables 503.2.3 (1, 2, 6 and 7), 503.4.1, 506.3.1

INTERIOR LIGHTING POWER 505.5, 505.5.2

L

LABELED

 Defined 202

 Requirements 303.1.3, 303.3, 402.4.2, 402.4.3, 502.4.1, 502.4.7, 503.2.7, 505.5.1.2

LIGHTING POWER

 Design procedures 505.5.2

 Exterior connected 505.6, 506.2.8

 Interior connected 505.5, Table 505.5.2, 506.4.7

 Manufacturer's information 505.1.3

LIGHTING SYSTEMS 404, 505

 Controls, additional 505.2.2

 Controls, exterior 505.2.4

 Controls, interior 505.2.1

 Guestrooms/sleeping units 505.2.3

 Line voltage 505.5.1.4

 Merchandise, (highlight specific) Table 505.5.2

 Plug-in busway 505.5.1.4

 Recessed 502.4.8

 Track 505.5.1.4

LISTED

 Defined 202

LOADING DOCK WEATHERSEALS 502.4.6

LOW-VOLTAGE LIGHTING

 Defined 202

 Requirements 505.5.1.2

LUMINAIRE

 Controls 505.2.2.1, 505.2.3

 Sealed 402.4.3, 502.4.7

 Tandem wiring 505.3

 Wattage 505.5.1, 505.6.1

M

MANUALS 503.2.9.3

MASS

 Wall 402.1.3, 402.2.3, Table 405.5.2(1), 502.2.3

 Floor 502.2.5

MATERIALS AND EQUIPMENT 303

MECHANICAL SYSTEMS AND EQUIPMENT 403, 405.1, 503

MECHANICAL VENTILATION 403.5, Table 405.5.2(1), 503.1, 503.2.5

METERS, ELECTRICAL 505.7

MOTOR NAMEPLATE HORSEPOWER . . . 503.2.10.2

MULTIPLE DWELLING UNITS 403.7

MULTIPLE ZONE SYSTEMS 503.4.5

N

NONCIRCULATING SYSTEMS 504.4, 504.5

NONDEPLETABLE/RENEWABLE ENERGY SOURCES

 Requirements 506.2.4

O

OCCUPANCY

 Requirements 503.2.9, 503.4.5, 504.3, 506.2.5, 506.4.7

OCCUPANCY SENSORS 503.2.4.3.2, 505.2.2

OFF-HOUR, CONTROLS 503.2.4.3

OPAQUE AREAS 402.3.4, 502, Table 502.2(1), 502.2.7

ORIENTATION . . . Table 404.5.2(1), 503.2.4.1, 506.4.4

OVERHANG, PROJECTION FACTOR 502.3.2

P

PACKAGED TERMINAL AIR CONDITIONER (PTAC)

 Requirements Table 503.2.3(3), 503.3

PACKAGED TERMINAL HEAT PUMP

 Requirements Table 503.2.3(3), 503.3

PARALLEL PATH CALCULATION 402.2.5

PERFORMANCE ANALYSIS 405, 506

PHOTOCELL 505.2.4

PIPE INSULATION 403.3, 403.4, 503.2.8, 504.5

POOL COVERS 403.9.3, 504.7.3
POOLS 403.9, 504.7
PROJECTION FACTOR 502.3.2
PROPOSED DESIGN
 Defined 202
 Requirements 405, 506
PUMPING SYSTEMS 403.4, 503.2.9.2, 503.4.3,
 504.6, 504.7.2

R

R-VALUE
 Defined 202
 Computation 402.1.2
RECOOLING 503.4.5
REFERENCED STANDARDS Chapter 6
REHEATING 503.4.5, 503.4.6
RENEWABLE/NONDEPLETABLE ENERGY SOURCES 506.2.4
REPAIR
 Defined 202
RESET CONTROL 503.4.3.4
RESIDENTIAL BUILDINGS
 Defined 202
 Requirements Chapter 4
 Simulated performance alternative 405
ROOF ASSEMBLY
 Defined 202
 Requirements 303.1.1.1, 402.2.2,
 Table 405.5.2(1), 502.2.1, 502.5

S

SCREW LAMP HOLDERS
 Defined 202
 Requirements 505.5.1.1
SEASONAL ENERGY EFFICIENCY RATIO (SEER) 405.6.1, 503.2.3
SERVICE WATER HEATING
 Defined 202
 Requirements 401.3, 403.4, 405.1,
 501.2, 503.4.6, 504
SETBACK THERMOSTAT 503.2.4.3.1
SHADING 502.3.2
 Projection factor 502.3.2
SHEATHING, INSULATING (see INSULATING SHEATHING)
SHGC (see SOLAR HEAT GAIN COEFFICIENT)
SHUTOFF DAMPERS 403.5, 502.4.4, 503.2.4.4

SIMULATED PERFORMANCE ALTERNATIVE 405, 506
SIMULATION TOOL (see ENERGY SIMULATION TOOL)
SINGLE ZONE 405.6.1, 503.3
SIZING
 Equipment and system 403.6, 405.6.1, 503.2.2
SKYLIGHTS 402.3, 402.3.5,
 402.4.1, 402.4.2, 402.6,
 Table 405.5.2(1), 502.1.1, 502.3.2
 Defined 202
 Maximum exempt area 502.3.1
SLAB-EDGE INSULATION 303.2.1, 401.3,
 Table 402.1.1, 402.2.7, 502.2.6
SLEEPING UNIT 505.2.2.1, 505.2.2.2, 505.2.3
SNOW MELT SYSTEM CONTROLS 403.8, 503.2.4.5
SOLAR HEAT GAIN COEFFICIENT (SHGC) 401.3, Table 402.1.1,
 402.1.4, 402.3.2, 402.3.3, 402.3.6,
 402.6, 405.6.1, Table 502.3, 502.3.2
 Defined 202
STANDARD REFERENCE DESIGN
 Defined 202
 Requirements 405, 506
STANDARDS, REFERENCED Chapter 6
STEEL FRAMING 402.2.4, Table 502.2(2)
STOREFRONT 202, Table 502.3, 502.4.2
SUNROOM 402.2.10, 402.3.5, Table 405.5.2(1)
 Defined 202
SUPPLY AIR TEMPERATURE RESET CONTROLS 503.4.5.4
SUSPENDED CEILINGS 502.2.1
SWIMMING POOLS 504.7

T

TANDEM WIRING 505.3
TERMITE INFESTATION 402.2.7
THERMAL ISOLATION 402.2.10, 402.3.5,
 Table 405.5.2(1)
 Defined 202
THERMAL MASS (see MASS)
THERMAL RESISTANCE (see R-VALUE)
THERMAL TRANSMITTANCE (see U-FACTOR)
TOTAL BUILDING PERFORMANCE
 Commercial 506
 Residential 405
TOWNHOUSE (see RESIDENTIAL BUILDINGS)

U**U-FACTOR**

- Defined 202
- Alternative 402.1.3, 402.1.4, 502.1.2

V

- VAPOR RETARDER** 402.2.9
- VARIABLE AIR VOLUME SYSTEMS (VAV)** . . 503.2.6,
503.2.9.2, 503.4.2, 503.4.5
- VENTILATION**. 402.5, 403.5, Table 405.5.2(1),
503.2.5
- Defined 202
- VESTIBULES** 502.4.7

W**WALL**

- Above grade, defined 202
- Basement, defined 202
- Crawlspace, defined 202
- Exterior, defined 202

WALLS (see EXTERIOR WALLS AND ENVELOPE, BUILDING THERMAL)**WALLS ADJACENT TO UNCONDITIONED SPACE (see BUILDING THERMAL ENVELOPE)****WATER ECONOMIZER** 503.4.1

- Defined 202

WATER HEATING 504**WINDOW AREA**

(see FENESTRATION and GLAZING AREA)

WINDOW PROJECTION FACTOR

- Requirements 502.3.2

WIRING, TANDEM 505.3**Z****ZONE (see also CLIMATE ZONES)**

- Defined 202
- Requirements 405.6.1, 503.2.4, 503.3,
503.4.3.4, 503.4.5

ZONE ISOLATION 503.4.5

