

# INDEX

## A

**ABSORPTION COOLING EQUIPMENT** . . . . . M1412

### ACCESS

- To appliances . . . . . M1305
- To attic . . . . . R807
- To crawl space . . . . . R408.3
- To equipment . . . . . M1401.2
- To floor furnace . . . . . M1408.4
- To plumbing connections . . . . . P2704
- To plumbing fixtures . . . . . P2705

### ACCESSIBLE

- Definition . . . . . R202
- Readily accessible, definition . . . . . R202, E3401

### ACCESSORY STRUCTURE

- Definition . . . . . R202

**ADDRESS (Site)** . . . . . R321

**ADMINISTRATIVE** . . . . . Chapter 1

- Authority . . . . . R104
- Entry . . . . . R104.6
- Inspections . . . . . R109
- Permits . . . . . R105
- Purpose . . . . . R101.3
- Violations . . . . . R113

### AIR

- Combustion . . . . . Chapter 17
- Combustion (from attic areas) . . . . . M1703.3
- Combustion (from under-floor areas) . . . . . M1703.4
- Combustion air, definition . . . . . R202
- Ducts . . . . . M1703.2
- Indoor combustion . . . . . M1702
- Outdoor combustion . . . . . M1703
- Return . . . . . M1602

### AIR CONDITIONERS

- Branch circuits . . . . . E3602.11
- Room air conditioners . . . . . E3602.12

### ALLOWABLE SPANS

- Of floor joists . . . . . R502.3, R505.3.2
- Of headers . . . . . R602.7, R603.6
- Of rafters and ceiling joists . . . . . R802.4, R802.5,  
R804.3.1, R804.3.3

**ALTERNATE MATERIALS (see MATERIALS)** . . . . . R104.11

**AMPACITY** . . . . . E3401

**ANCHOR BOLTS** . . . . . R403.1.6

### APPEAL

- Board of . . . . . R112.1
- Right of . . . . . R112

### APPLIANCE

- Access to . . . . . M1305

- Attic furnace . . . . . M1305.1.3
- Clearance for . . . . . M1306
- Connectors, fuel-gas . . . . . Chapter 24
- Definition . . . . . R202
- Definition applied to electrical equipment . . . . . E3401
- Electrical appliance disconnection means . . . . . E4001.5
- Electrical appliance installation . . . . . E4001
- Equipment (general) . . . . . Chapter 14
- Floor furnace . . . . . M1408
- Flue area . . . . . R1003.14
- Fuel-burning . . . . . Chapter 24
- Heating and cooling . . . . . Chapter 14
- Installation . . . . . M1307
- Labeling . . . . . M1303
- Open-top broiler units . . . . . M1505.1
- Ranges . . . . . M1901
- Room heaters . . . . . M1410
- Special fuel-burning equipment . . . . . Chapter 19
- Vented (decorative) . . . . . Chapter 24
- Wall furnace . . . . . M1409
- Warm-air furnace . . . . . M1402
- Water heaters . . . . . Chapter 20, Chapter 24

### APPLICATION

- Plywood . . . . . R703.3

**APPROVAL** . . . . . M1302

### APPROVED

- Definition . . . . . R202
- Definition applied to electrical equipment . . . . . E3401

### AREA

- Disposal, private sewage disposal . . . . . P2602
- Flue (appliances) . . . . . R1003.14
- Flue masonry . . . . . R1003.15

**ARMORED CABLE** . . . . . Table E3701.2

**ASPHALT SHINGLES** . . . . . R905.2

### ATTACHMENT PLUG (PLUG CAP) (CAP)

- Definition . . . . . E3401

### ATTIC

- Access . . . . . R807
- Combustion air . . . . . M1703.3

## B

### BACKFILL

- For piping . . . . . P2604

### BACKFLOW, DRAINAGE

- Definition . . . . . R202

**BACKWATER VALVE** . . . . . R202

**BALCONY, EXTERIOR**

Definition . . . . . R202

**BASEMENT WALL**

Definition . . . . . R202

Insulation . . . . . N1102.2.6

**BATH AND SHOWER SPACES** . . . . . R307

**BATHROOM** . . . . . E3401

Exhaust . . . . . M1507.3

Group . . . . . R202, Table P3004.1

**BATHTUB**

Enclosure . . . . . P2713

Hydromassage . . . . . E4109

Whirlpool . . . . . R2720

**BEAM SUPPORTS** . . . . . R606.14

**BEARING**

Of joists . . . . . R502.6

**BIDETS** . . . . . P2721

**BOILER**

Definition . . . . . R202

Requirements . . . . . Chapter 20

**BONDING** . . . . . E3509, E4104

Definition applied to  
electrical installations . . . . . E3401

**BONDING JUMPER** . . . . . E3401

Bonding of service equipment . . . . . E3509.2

Bonding to other systems . . . . . E3509.3

Main bonding jumper . . . . . E3507.5

Metal water piping bonding . . . . . E3508.1.1

Sizing bonding jumpers . . . . . E3509.5

**BORED HOLES (see NOTCHING)**

**BOXES** . . . . . E3806

Nonmetallic boxes . . . . . E3805.3

Support of boxes . . . . . E3804.3

Where required . . . . . E3805.1

**BRANCH CIRCUIT** . . . . . E3401, Chapter 36

Branch circuit ampacity . . . . . E3601.2

Branch circuit ratings . . . . . E3602

Branch circuits required . . . . . E3603

**BUILDING**

Definition . . . . . R202

Drain, definition . . . . . R202

Existing, definition . . . . . R202

Sewer, definition . . . . . R202

**BUILDING OFFICIAL**

Definition . . . . . R202

Inspection and tests of  
fuel-gas piping . . . . . Chapter 24

**BUILDING PLANNING**

Ceiling height . . . . . R305

Decay protection . . . . . R319

Design criteria . . . . . R301

Dwelling unit separations . . . . . R317

Emergency escape . . . . . R310

Exterior wall location . . . . . R302

Finishes . . . . . R315

Foam plastic . . . . . R314

Garages and carports . . . . . R309

Glazing . . . . . R308

Guardrails . . . . . R312

Handrails . . . . . R311.5.6, R311.6.3

Insulation . . . . . R316

Landing . . . . . R311.4.3, R311.5.4, R311.6.2

Light, ventilation and heating . . . . . R303

Means of egress . . . . . R311

Minimum room area . . . . . R304

Planning . . . . . Chapter 3

Plumbing fixture clearances . . . . . R307

Ramps . . . . . R311.6

Radon protection . . . . . Appendix F

Sanitation . . . . . R306

Site address . . . . . R321

Smoke alarms . . . . . R313

Stairways . . . . . R311.5

Termite protection . . . . . R320

Vapor retarders . . . . . R318

**BUILDING THERMAL ENVELOPE**

Definition . . . . . R202

Requirements . . . . . N1102

**BUILT-UP GIRDERS (see GIRDERS)**

**BUILT-UP ROOFING (see ROOFING)**

**C**

**CABINETS AND PANELBOARDS** . . . . . E3807

**CAPACITY**

Expansion tank . . . . . M2003.2

**CARPORT** . . . . . R309.4

**CEILING**

Finishes . . . . . R805

Height . . . . . R305

**CEILING FANS** . . . . . E4103.4

**CENTRAL FURNACES (see FURNACES)**

**CHASES** . . . . . R606.7

**CHIMNEYS**

And fireplaces . . . . . Chapter 10

Clearance . . . . . R1003.18

Corbeling . . . . . R1003.5

Cricketts . . . . . R1003.20

Design (masonry) . . . . . R1003.1

Factory-built . . . . . R1005

Fireblocking . . . . . R1003.19

Flue area . . . . . R1003.14, R1003.15

Flue lining . . . . . R1003.11

Load . . . . . R1003.8  
 Masonry and factory built, size . . . . . M1805  
 Multiple flue . . . . . R1003.14  
 Spark arrestors . . . . . R1003.9.1  
 Termination . . . . . R1003.9  
 Wall thickness . . . . . R1003.10

**CIRCUIT BREAKER**  
 Definition . . . . . E3401

**CIRCUIT BREAKER RATING**  
 Class 2 remote-control, signaling and  
 power-limited circuits . . . . . Chapter 42

**CLAY**  
 Tiles . . . . . R905.3

**CLEANOUT**  
 Definition . . . . . R202  
 Drainage . . . . . P3005.2  
 Masonry chimney . . . . . R1003.17

**CLEARANCE**  
 Above cooking top . . . . . M1901.1  
 For appliances . . . . . M1306.1  
 For chimneys . . . . . R1001.15  
 Reduction methods . . . . . M1306.2  
 Vent connector . . . . . R1803.3.4

**CLEARANCES**  
 Around electrical equipment . . . . . E3305.1, E3504.1,  
 E3504.2, E3504.3

**CLOTHES CLOSETS**  
 Lighting fixtures . . . . . E3903.11

**CLOTHES DRYERS** . . . . . M1502, Chapter 24

**CLOTHES WASHING MACHINES** . . . . . P2718

**COLUMNS** . . . . . R407

**COMBUSTIBLE**  
 Materials . . . . . R202

**COMBUSTION AIR**  
 Air . . . . . Chapter 17  
 Attic . . . . . M1703.3  
 Definition . . . . . R202  
 Indoor . . . . . M1702  
 Outdoor . . . . . M1703.1  
 Supply . . . . . M1701.1  
 Under-floor . . . . . M1703.4

**COMMON VENT**  
 Definition . . . . . R202  
 Requirements . . . . . N1801.11

**CONCRETE**  
 Compressive Strength . . . . . R402.2  
 Floors (on ground) . . . . . R506  
 Tile (roof) . . . . . R905.3  
 Weathering . . . . . Figure R301.2(3), R402.2

**CONCRETE-ENCASED ELECTRODE** . . . . . E3508.1.2

**CONDUCTOR** . . . . . E3306  
 Ampacity . . . . . E3605.1  
 Definition . . . . . E3401  
 Identification . . . . . E3307  
 Insulation . . . . . E3306.5  
 Material . . . . . E3306.2  
 Parallel . . . . . E3306.6  
 Size . . . . . E3306.3, E3604.1  
 Ungrounded conductors . . . . . E3503.1

**CONDUIT BODY**  
 Definition . . . . . E3401

**CONNECTION**  
 Access to connections . . . . . P2704  
 For fuel-burning appliances . . . . . Chapter 24  
 For fuel-oil piping . . . . . M2202  
 Joints . . . . . P2904  
 Plumbing fixture . . . . . P2601.2  
 To water supply . . . . . P2902.1

**CONNECTIONS**  
 Aluminum . . . . . E3306.8  
 Device . . . . . E3306.10.2

**CONNECTOR**  
 Chimney and vent . . . . . M1803  
 Vent, definition . . . . . R202

**CONNECTOR, PRESSURE (SOLDERLESS)**  
 Definition . . . . . E3401

**CONSTRUCTION**  
 Cavity wall masonry . . . . . R606.4.2  
 Flood-resistant . . . . . R324  
 Floors . . . . . Chapter 5  
 Footings . . . . . R403  
 Foundation walls . . . . . R404  
 Foundations . . . . . Chapter 4  
 Grouted masonry . . . . . R609  
 Masonry . . . . . R606, R607, R608, R609, R610  
 Material . . . . . R402  
 Reinforced hollow unit masonry . . . . . R609.4  
 Roofs . . . . . Chapter 8  
 Steel framing . . . . . R505, R603, R804  
 Wood framing . . . . . R502, R602, R802  
 Walls . . . . . Chapter 6

**CONTINUOUS LOAD**  
 Definition . . . . . E3401

**CONTINUOUS WASTE**  
 Definition . . . . . R202

**CONTROL**  
 Devices . . . . . Chapter 24

**CONTROLS**  
 For forced-air furnaces . . . . . Chapter 24

**COOKING UNIT, COUNTER-MOUNTED**

Definition . . . . . E3401

**COOLING**

Absorption cooling equipment . . . . . M1412  
 Access to equipment . . . . . M1401.2  
 Evaporative cooling equipment. . . . . M1413  
 Installation . . . . . M1401.1  
 Refrigeration cooling equipment. . . . . M1404  
 Return air-supply source . . . . . M1602  
 Screen inlet protection. . . . . M1602.3

**COPPER-CLAD ALUMINUM CONDUCTORS**

Definition . . . . . E3401

**CORDS**

Flexible . . . . . E4001.3, E4102.2

**COURT**

Definition . . . . . R202

**COVER REQUIREMENTS . . . . . E3703.1**

**COVERING**

Exterior . . . . . R703  
 Interior . . . . . R702  
 Roof . . . . . Chapter 9  
 Wall . . . . . Chapter 7

**CRAWL SPACE . . . . . R408, N1102.2.8**

**CRITERIA**

Design . . . . . R301

**CROSS CONNECTION**

Definition . . . . . R202

**D**

**DAMPER, VOLUME**

Definition . . . . . R202

**DECAY**

Protection against . . . . . R319

**DECK**

Definition . . . . . R202

**DECORATIVE APPLIANCES**

Vented . . . . . Chapter 24

**DEFINITIONS**

Building . . . . . R202  
 Electrical . . . . . E3401  
 Mechanical System. . . . . R202  
 Plumbing . . . . . R202

**DESIGN**

Criteria. . . . . R301

**DIRECTIONAL**

Fittings, plumbing . . . . . P2707

**DISCONNECTING MEANS**

Definition . . . . . E3401  
 Identification . . . . . E3304.11

**DISHWASHING MACHINES . . . . . P2717**

**DOORS**

Exit . . . . . R311.4.1  
 Glass . . . . . R613

**DRAFT HOOD**

Definition . . . . . R202

**DRAFTSTOPPING . . . . . R502.12**

**DRAIN**

Floor . . . . . P2719  
 Shower receptors . . . . . P2709

**DRAINAGE**

Cleanouts . . . . . P3005.2  
 Foundation . . . . . R405  
 Inspection and tests . . . . . P2503

**DRILLING AND NOTCHING (see NOTCHING)**

**DRIP LOOPS . . . . . E3505.19.5**

**DRYERS**

Domestic clothes . . . . . M1502

**DUCTS . . . . . Chapter 16**

Installation . . . . . M1601.3  
 Insulation . . . . . N1103.2  
 Material . . . . . M1601.1  
 System, definition . . . . . R202

**DWELLING**

Definition. . . . . R202, E3401

**DWELLING UNIT**

Definition. . . . . R202, E3401  
 Separation. . . . . R317

**E**

**ELECTRICAL**

Appliance (labeling) . . . . . M1303  
 Inspection . . . . . E3303

**ELECTRICAL METALLIC TUBING . . . . . Table E3804.6**

**ELECTRICAL NONMETALLIC**

**TUBING . . . . . Table E3701.4**

**ELECTRICAL RESISTANCE HEATERS**

Baseboard convectors . . . . . M1405  
 Duct heaters . . . . . M1407  
 Radiant heating. . . . . M1406

**ELECTRODES**

Grounding . . . . . E3508

**EMERGENCY ESCAPE . . . . . R202, R310**

**ENERGY CONSERVATION . . . . . Chapter 11**

**ENCLOSURE**

Definition . . . . . E3401

**ENTRY . . . . . R104.6**

**EQUIPMENT**

Definition applied to electrical equipment . . E3401  
 General, mechanical . . . . . Chapter 14  
 Heating and cooling. . . . . Chapter 14

**EXCAVATIONS**

For appliance installation . . . . . M1305.1.4.2

**EXTERIOR**

Covering . . . . . R703  
 Insulation finish systems . . . . . R703.9  
 Lath . . . . . R703.6.1  
 Plaster . . . . . R703.6

**EXTERIOR WALL**

Definition . . . . . R202  
 Thermal performance . . . . . N1102

**F**

**FACEPLATES** . . . . . E3901.11, E3902.4

**FACTORY BUILT**

Chimneys . . . . . R1005, M1805  
 Fireplace stoves . . . . . R1005.3  
 Fireplaces . . . . . R1004

**FASTENING** . . . . . Table R602.3(1)

**FAUCETS** . . . . . P2701

**FEEDER**

Ampacity . . . . . E3604.5  
 Conductor size . . . . . E3604.1  
 Feeder neutral load . . . . . E3604.3  
 Loads . . . . . E3604.2  
 Requirements . . . . . E3604

**FENESTRATION**

Definition . . . . . R202  
*U*-factor and SHGC rating . . . . . N1101.5  
*U*-factor and SHGC requirements . . . . . N1102.3

**FINISHES**

Flame spread and smoke density . . . . . R315  
 For ceilings . . . . . R805  
 Interior . . . . . R315, R702

**FIRE BLOCKING**

Barrier between stories . . . . . R602.8  
 Chimney . . . . . R1003.19  
 Fireplace . . . . . R1001.12

**FIREPLACES** . . . . . Chapter 10

Clearance . . . . . R1001.11  
 Corbeling . . . . . R1001.8  
 Factory-built . . . . . R1004  
 Fire blocking . . . . . R1001.12  
 Walls . . . . . R1001.5

**FITTING**

Definition applied to electrical installations . . . . . E3401

**FITTINGS**

DWV piping . . . . . P3002.3  
 Prohibited joints . . . . . P3003.2  
 Water supply . . . . . P2904.6

**FIXTURE INSTALLATION** . . . . . E3904

**FIXTURE UNIT**

Drainage, definition . . . . . R202  
 Unit valves . . . . . P2903.9.3  
 Water supply, definition . . . . . R202

**FIXTURES**

Clearances . . . . . E3904.8  
 Plumbing fixture, definition . . . . . R202  
 Plumbing fixture, general . . . . . Chapter 27  
 Trap seals . . . . . P3201.2

**FLAME SPREAD** . . . . . R315

**FLASHING** . . . . . R703.7.5, R703.8, R903.2, R905

**FLEXIBLE CORDS** . . . . . E3809, E4001.3, E4102.2

**FLEXIBLE METAL CONDUIT** . . . . . E3701.4, E3808.8.1

**FLOOR FURNACE**

Access . . . . . M1408.4  
 Clearance . . . . . M1408.2  
 Definition . . . . . R202  
 General . . . . . M1408.1  
 Installation . . . . . M1408.5  
 Location . . . . . M1408.3

**FLOORS**

Concrete (on ground) . . . . . R506  
 Steel framing . . . . . R505  
 Treated-wood (on ground) . . . . . R504  
 Wood framing . . . . . R502

**FLUE**

Area . . . . . R1003.14, R1003.15  
 Lining . . . . . R1003.11, R1003.12  
 Multiple . . . . . R1003.13

**FOAM PLASTICS** . . . . . R314

**FOOD-WASTE GRINDERS** . . . . . P2716

**FOOTINGS** . . . . . R403

**FOUNDATIONS** . . . . . Chapter 4

Cripple walls . . . . . R602.10.2, R602.11.3  
 Frost protection . . . . . R403.1.4.1  
 Inspection . . . . . R109.1.1  
 Walls . . . . . R404

**FRAME**

Inspection . . . . . R109.1.4

**FREEZE PROTECTION OF PLUMBING** . . . . . P2603.6

**FUEL-BURNING APPLIANCES**

(see **APPLIANCE, definition**)

Identification . . . . . Chapter 24

**FUEL-GAS** . . . . . Chapter 24

**FUEL-OIL**

Oil tanks . . . . . M2201  
 Piping, fittings and connections . . . . . M2202  
 Pumps and valves . . . . . M2204

**FURNACES**

Clearance of warm-air furnaces . . . . . M1402.2  
 Exterior . . . . . M1401.4

Floor (see FLOOR FURNACE)  
 Wall (see WALL FURNACE)  
 Warm-air . . . . . M1402, Chapter 24  
**FUSES** . . . . . E3605.6

**G**

**GARAGES** . . . . . R309  
**GAS**  
 Appliance labeling . . . . . Chapter 24  
**GAS PIPING SYSTEM NOT TO BE USED AS GROUNDING ELECTRODE** . . . Chapter 24  
**GIRDERS** . . . . . R502.5  
**GLAZING** . . . . . R308  
 Aggregate . . . . . R303.1  
 Protection of openings . . . . . R301.2.1.2  
**GRADE**  
 Definition . . . . . R202  
 Of lumber . . . . . R502.1, R602.1, R802.1  
 Plane, definition . . . . . R202  
 Slope of piping, definition . . . . . R202  
**GROUND**  
 Definition of electrical . . . . . E3401  
 Floors (on ground) . . . . . R504, R505, R506  
 Joint connection . . . . . P2904.8  
**GROUND-FAULT CIRCUIT-INTERRUPTER PROTECTION** . . . . . E3802, E4103, E4106, E4107, E4108  
**GROUND SOURCE HEAT PUMP** . . . . . M2105  
**GROUNDING**  
 Definition . . . . . E3401  
**GROUNDING CONDUCTOR**  
 Definition . . . . . E3401  
 Identification . . . . . E3307  
**GROUNDING, EFFECTIVELY**  
 Definition . . . . . E3401  
**GROUNDING**  
 Effective grounding path . . . . . E3511.3  
 Of equipment . . . . . E3808, E4105.1  
**GROUNDING CONDUCTOR**  
 Definition . . . . . E3401  
 Equipment . . . . . E3401, E3507.3.1, E3808  
**GROUNDING ELECTRODE CONDUCTOR** . . . E3507.4  
 Connection . . . . . E3507.2, E3511  
 Definition . . . . . E3401  
 Size . . . . . E3503.4  
**GROUNDING ELECTRODE SYSTEM** . . . . . E3508  
**GROUNDING ELECTRODES** . . . . . E3508, E3508.1  
 Resistance of . . . . . E3508  
**GROUTED MASONRY (see MASONRY)** . . . . . R609  
 Reinforced . . . . . R609.3

**GUARDED**

Definition applied  
 to electrical equipment . . . . . E3401

**GUARDING OF ENERGIZED PARTS** . . . . . E3304.8

**GUARDS** . . . . . R312  
 Definition . . . . . R202

**GYPSUM**

Wallboard . . . . . R702.3

**H**

**HABITABLE SPACE**

Definition . . . . . R202

**HALLWAYS** . . . . . R311.3

**HANDRAILS** . . . . . R311.5.6, R311.6.3  
 Definition . . . . . R202

**HEADERS**

Wood . . . . . R602.7  
 Steel . . . . . R603.6

**HEARTH** . . . . . R1001.9

Extension . . . . . R1001.9, R1001.10

**HEATERS**

Baseboard . . . . . M1405  
 Central furnaces . . . . . M1402  
 Duct . . . . . M1407  
 Heat pumps . . . . . M1403  
 Masonry . . . . . R1002  
 Pool . . . . . M2006, Chapter 24  
 Radiant . . . . . M1406  
 Sauna . . . . . Chapter 24  
 Unvented . . . . . G2445  
 Vented room . . . . . M1410, Chapter 24  
 Water . . . . . Chapter 20

**HEATING** . . . . . R303.8

**HEATING EQUIPMENT** . . . . . Chapter 14

**HEIGHT**

Ceiling . . . . . R305

**HOLLOW-UNIT MASONRY**

(see MASONRY) . . . . . R608.1.1.2  
 Reinforced . . . . . R609.4

**HORIZONTAL**

Pipe, definition . . . . . R202  
 Vent length . . . . . M1803.3.2

**HOT TUBS** . . . . . E4101, Appendix G

**HOT WATER**

Definition . . . . . R202  
 Distribution pipe rating . . . . . P2904.5  
 Heaters . . . . . M2005, Chapter 24  
 Piping insulation . . . . . N1103.4

**HYDROGEN GENERATING AND**

**REFUELING** . . . . . M1307.4

**HYDRONIC HEATING SYSTEMS**

- Baseboard convectors . . . . . M2102
- Boilers . . . . . M2001
- Expansion tanks . . . . . M2003
- Floor heating systems . . . . . M2103
- Operating and safety controls . . . . . M2002
- Piping systems installation . . . . . M2101
- Water heaters . . . . . M2005

**I**

**IDENTIFIED**

- Definition applied to electrical equipment . . . . . E3401

**INDIVIDUAL**

- Branch circuit, definition . . . . . E3401
- Sewage disposal systems . . . . . R202, P2602
- Water supply and sewage disposal systems . . . . . P2602

**INLET**

- To masonry chimneys . . . . . R1001.13

**INSPECTION**

- Card . . . . . AE305.3
- Excavation for piping . . . . . P2604.1
- Fuel-supply system . . . . . Chapter 24
- Of plumbing system . . . . . P2503
- On site . . . . . R109.1

**INSTALLATION**

- Existing . . . . . Appendix J
- Of appliances . . . . . M1307
- Of cooling and heating equipment . . . . . M1401.1
- Of ducts . . . . . M1601.3
- Of floor furnaces . . . . . M1408.5
- Of flue liners . . . . . R1001.9
- Of plumbing fixtures . . . . . P2705
- Of wall furnaces . . . . . M1409.3

**INSULATION**

- R-value requirements . . . . . Chapter 11

**INTERIOR**

- Lath . . . . . R702.2
- Other finishes . . . . . R702.5
- Plaster . . . . . R702.2
- Wall covering . . . . . Chapter 7

**INTERMEDIATE METAL CONDUIT** . . . . . E3701, E3804

**INTERRUPTING RATING** . . . . . E3304.2

- Definition . . . . . E3401

**J**

**JOINTS, PIPE**

- And connections . . . . . P2904, P3003
- Slip . . . . . P3003.3.7

**JOIST**

- Bearing . . . . . R502.6, R606.14.1

**JUMPERS**

- Bonding . . . . . E3509

**JUNCTION BOXES** . . . . . E3805, E4106.8.1

**K**

**KITCHEN**

- Definition . . . . . R202

**KITCHEN RECEPTACLES** . . . . . E3603.2, E3801

**L**

**L VENT TERMINATION** . . . . . M1804.2.4

**LABELED**

- Definition . . . . . R202
- Definition applied to electrical equipment . . . . . E3401
- Fenestration . . . . . N1101.5, N1102.4.2

**LABELING**

- Appliances . . . . . M1303
- Definition . . . . . R202

**LAMP HOLDERS** . . . . . E3903, E3904

**LANDINGS** . . . . . R311.4.3, R311.5.4, R311.6.2

**LATERAL SUPPORT** . . . . . R606.9, R610.5.2

**LATH**

- Exterior . . . . . R703.6.1
- Interior . . . . . R702.2

**LAUNDRY CIRCUIT** . . . . . E3603.3

**LAUNDRY TUBS** . . . . . P2715

**LAVATORIES** . . . . . P2711

- Clearances . . . . . R307
- Waste outlets . . . . . P2711.3

**LEAD**

- Bends and traps . . . . . P3002.4.2
- Caulked joints . . . . . P3003.6.1
- Flashing . . . . . P3002.4.1

**LIABILITY** . . . . . R104.8

**LIGHT, VENTILATION AND HEATING** . . . . . R303

**LIGHTING**

- Fixture installation . . . . . E3904
- Fixtures in clothes closets . . . . . E3903.11
- Fixtures (luminaries) . . . . . E3903, E3904, E4106

**LIGHTING OUTLETS** . . . . . E3803

- Definition . . . . . E3401
- Required lighting outlets . . . . . E3803

**LINING**

- Flue . . . . . R1003.11, R1003.13

**LINTEL** . . . . . R606.10, R611.7.3, R703.7.3, R1001.7

**LIQUID-TIGHT FLEXIBLE**

- CONDUIT . . . . . E3701.4, E3808.8.2

**LISTED**

Definition applied to electrical equipment . . . . . E3401

**LISTED and LISTING**

Definition applied to building and mechanical provisions . . . . . R202

Mechanical appliances . . . . . M1302.1

**LOAD**

Additional . . . . . R1003.8

Roof . . . . . R301.6

Seismic risk map . . . . . Figure R301.2(2)

Snow load map . . . . . Figure R301.2(5)

Wind speed map . . . . . Figure R301.2(4)

**LOADS**

Branch circuit loads . . . . . E3602, E3603.6

Dead load . . . . . R301.4

Feeder load . . . . . E3604.2

Feeder neutral load . . . . . E3604.3

Horizontal load . . . . . AE602.1

Live load . . . . . R301.5

Service load . . . . . E3502.2

**LOADS, LIVE AND DEAD**

Definition . . . . . R202

**LOCATION**

Of furnaces . . . . . M1408.3, M1409.2

**LOCATION (DAMP) (DRY) (WET)**

Definitions . . . . . E3401

**LUMBER**

Grade . . . . . R502.1, R602.1, R802.1

**M**

**MACERATING TOILET** . . . . . P2723

**MANUFACTURED HOME**

Definition . . . . . R202

Provisions . . . . . Appendix E

**MASONRY**

Anchorage . . . . . R606.11

Attachment . . . . . R703.4

Cavity wall . . . . . R606.4

Chases . . . . . R606.7

General . . . . . R606

Grouted . . . . . R609

Hollow unit . . . . . R202, R607.2.2.2, R608.1.1.2

Inspection . . . . . R109.1.4

Reinforced grouted . . . . . R609.3

Reinforced hollow unit . . . . . R609.4

Seismic requirements . . . . . R606.12

Solid, definition . . . . . R202

Veneer . . . . . R703.7

**MATERIALS**

Alternate . . . . . R104.11

Combustible . . . . . R202, R1003.18, R1003.19  
R1001.11, R1001.12

For ducts . . . . . M1601

For fixture accessories . . . . . P2702

For flue liners . . . . . R1003.11

For fuel-supply systems . . . . . Chapter 24

For hearth extension . . . . . R1001.9

For siding . . . . . R703.3

Hydronic pipe . . . . . M2101, M2103, M2104

Plumbing pipe . . . . . P2904, P3002

**MECHANICAL**

Inspection . . . . . R109.1.2

System requirements . . . . . Chapter 13

Ventilation dampers . . . . . N1103.5

**MEDIUM PRESSURE FUEL-GAS**

**PIPING SYSTEM** . . . . . Chapter 24

**MEMBRANE**

Penetration . . . . . R317.3.2

Polyethylene . . . . . R504.2.2

Water proofing . . . . . R406.2

Weather-resistant . . . . . R703.2

**METAL**

Ducts . . . . . Chapter 16

Roof panels . . . . . R905.10

Roof shingles . . . . . R905.4

**METAL-CLAD CABLE** . . . . . Table E3701.2

**METHODS**

Water distribution pipe sizing . . . . . Table P2903.7

**MODIFICATIONS** . . . . . R104.10

**MOISTURE CONTROL** . . . . . N1102.5

**MORTAR**

Joints . . . . . R607.2.1.1

**MOTORS**

Motor branch circuits . . . . . E3602.6, E3602.7

**MULTIPLE**

Appliance venting systems . . . . . M1801.11

Flues . . . . . R1003.13

**MULTIWIRE BRANCH CIRCUITS** . . . . . E3601.4

**N**

**NONCOMBUSTIBLE MATERIAL**

Definition . . . . . R202

**NONMETALLIC BOXES** . . . . . E3805.3, E3808.16

**NONMETALLIC RIGID CONDUIT** . . . . . E3701.4

**NONMETALLIC-SHEATHED**

**CABLE** . . . . . E3605.4.4, E3701.4,  
E3805.3.1, E3808.8.3



**NOTCHING**

- Electrical . . . . . E3302.1
- For plumbing piping . . . . . P2603.2
- For mechanical systems . . . . . M1308
- Steel joists . . . . . R505.3.5
- Steel studs . . . . . R603.3.4
- Wood joists . . . . . R502.8, R802.7.1
- Wood studs . . . . . R602.6
- Wood top plates . . . . . R602.6.1

**O**

**OCCUPIED SPACE**

- Definition . . . . . R202

**OIL**

- Piping and connections . . . . . M2202
- Supply pumps and valves . . . . . M2204
- Tanks . . . . . M2201

**OPEN-TOP GAS BROILER UNITS . . . . . M1505.1**

**OPENING**

- Requirements, combustion air . . . . . M1702.2,  
M1703.2.1
- Waterproofing of piping penetrations . . . . P2606.1

**OUTLET**

- Definition . . . . . Chapter 24, E3401

**OVEN, WALL-MOUNTED**

- Definition applied to electrical provisions . . . . . E3401

**OVERCURRENT**

- Definition . . . . . E3401

**OVERCURRENT PROTECTION . . . . . E3605**

**OVERCURRENT-PROTECTION RATING . . . . E3605.6**

**OVERLOAD**

- Definition . . . . . E3401

**P**

**PARAPETS . . . . . R317.2.2, R606.2.4**

**PANELBOARD**

- Definition . . . . . E3401

**PANELBOARDS . . . . . E3606**

- Clearance and dedicated space . . . . . E3305.2,  
E3305.3
- Headroom . . . . . E3305.7

**PARTICLEBOARD**

- Floor . . . . . R503.3
- Walls . . . . . R605

**PERMITS . . . . . R105**

**PIERS . . . . . R606.6**

**PIPE**

- Insulation . . . . . N1103.3, N1103.4
- Materials listing . . . . . Table M2101.1, P2608

- Protection . . . . . P2603

- Standards, drain, waste and vent . . . . . Table P3002.1(1),  
P3002.1(2)

- Standards, sewer . . . . . Table P3002.2

- Standards, water supply . . . . . P2904

**PIPING**

- Connections and materials . . Table M2101.1, P2904
- Drain, waste and vent . . . . . P3002.1
- Fuel-gas size determination . . . . . Chapter 24
- Protection . . . . . P2603
- Sizing methods, water distribution . . . . . P2903
- Support . . . . . M2101.9, Chapter 24, P2605

**PLANNING**

- Building . . . . . Chapter 3

**PLANS . . . . . R106**

**PLASTER**

- Exterior . . . . . R703.6
- Interior . . . . . R702.2

**PLENUM**

- Definition . . . . . R202
- Definition, electrical installations . . . . . E3401

**PLUMBING**

- Fixture clearances . . . . . R307
- Fixtures . . . . . Chapter 27
- Inspection . . . . . R109.1.2
- Materials . . . . . P2702.2, P2904, P3002
- Requirements and definitions . . . . . R202
- System, definition . . . . . R202
- Traps . . . . . Chapter 32
- Vents . . . . . Chapter 31

**PLYWOOD**

- Application . . . . . R703.3
- Materials, walls . . . . . R604

**POTABLE WATER**

- Definition . . . . . R202

**PRESSURE, WATER SUPPLY**

- Maximum . . . . . P2903.3.1
- Minimum . . . . . P2903.3

**PRIVATE**

- Sewage disposal system . . . . . Appendix I

**PROHIBITED**

- Receptors . . . . . P2706.3
- Return air sources . . . . . M1602.2
- Traps . . . . . P3201.5
- Water closets . . . . . P2712.1

**PROTECTION**

- Against decay and termites . . . . . R319, R320
- Against radon . . . . . Appendix F
- Of ferrous gas piping . . . . . Chapter 24
- Of potable water supply . . . . . P2902

**PURLINS** . . . . . R802.5.1  
**PURPOSE** . . . . . R101.3

## R

### R-VALUE

Computation . . . . . N1102.1.1  
 Definition . . . . . R202

### RACEWAY

Definition . . . . . E3401  
 Raceway installations . . . . . E3804  
 Raceway seals . . . . . E3501.5, E3703.6  
 Raceways as means of support. . . . . E3804.4

### RADON

Map . . . . . Appendix F

### RAFTERS

Grade of lumber . . . . . R802.1  
 Spans. . . . . R802.5, Tables R802.5.1(1)—  
 R802.5.1(8)

### RAINPROOF

Definition applied to  
 electrical provisions. . . . . E3401

### RAINTIGHT

Definition applied to  
 electrical provisions . . . . . E3401

**RAMPS** . . . . . R311.6

### RANGES

Branch circuits for ranges. . . . . E3602.9

### RANGES AND OVENS

Vertical clearance above cooking top . . . M1901.1

### READILY ACCESSIBLE

Definition . . . . . R202  
 Definition, electrical installations . . . . . E3401

### RECEPTACLE

Definition . . . . . E3401

### RECEPTACLE OUTLET

Definition . . . . . E3401  
 Required outlets . . . . . E3801

### RECEPTACLES

Rating, type and installation . . . . . E3902

### RECEPTORS

Plumbing fixtures and traps . . . . . Chapter 27  
 Shower receptor materials . . . . . P2709.3.1  
 Waste . . . . . P2706

**RECESSED LUMINAIRES** . . . . . E3903.5, E3903.11,  
 E3904.8, E3904.9,

Sealed. . . . . N1102.4.3

### REQUIREMENTS

Connections for fuel-burning  
 appliances . . . . . Chapter 24  
 Return air. . . . . M1602.1

### RESISTANCE TO GROUND

Electrodes . . . . . E3508.4

### RESISTANT SIDING MATERIAL (see MATERIALS)

**RETURN-AIR LIMITATION** . . . . . M1602.2

**RIDGE BOARD** . . . . . R802.3

**RIGID METALLIC CONDUIT**. . . . . E3808

**RIGID NONMETALLIC CONDUIT** . . . . . E3701.4

### ROOF

Coverings . . . . . R905

Drainage. . . . . R903.4

Flashing . . . . . R703.8, R903.2, R905

Steel framing. . . . . R804

Wood framing . . . . . R802

### ROOF-CEILING CONSTRUCTION

(see **CONSTRUCTION**) . . . . . Chapter 8

Insulation . . . . . N1102.2

Wind uplift . . . . . R802.11

### ROOFING

Built-up . . . . . R905.9

Liquid-applied coating . . . . . R905.15

Modified bitumen . . . . . R905.11

Sprayed polyurethane foam. . . . . R905.14

Thermoplastic single-ply . . . . . R905.13

Thermoset single-ply . . . . . R905.12

### ROOM

Heaters, vented . . . . . M1410

Minimum Sizes . . . . . R304

## S

**SANITATION** . . . . . R306

**SEISMIC RISK MAP**. . . . . Figure R301.2(2)

### SEPTIC TANK

Definition . . . . . R202

### SERVICE

Definition . . . . . E3401

### SERVICE CABLE

Definition . . . . . E3401

### SERVICE CONDUCTORS

Definition . . . . . E3401

Drip loops . . . . . E3505.19.5

Insulation . . . . . E3505.1

Overload protection . . . . . E3503.3

Rating of ungrounded service  
 conductors . . . . . E3502.1

Size. . . . . E3503.1

### SERVICE DISCONNECT

Location. . . . . E3501.6.2

Marking of . . . . . E3501.6.1

Maximum number of. . . . . E3501.7

Rating of . . . . . E3502.3

Required . . . . . E3501.6

**SERVICE DROP**

Clearances . . . . . E3504.1, E3504.2

Definition . . . . . E3401

Point of attachment . . . . . E3504.3

**SERVICE-ENTRANCE CONDUCTORS, OVERHEAD SYSTEM**

Definition . . . . . E3401

**SERVICE-ENTRANCE CONDUCTORS, UNDERGROUND SYSTEM**

Definition . . . . . E3401

**SERVICE EQUIPMENT**

Definition . . . . . E3401

**SERVICE LATERAL**

Definition . . . . . E3401

**SERVICE LOAD** . . . . . E3502.2

**SERVICE POINT**

Definition . . . . . E3401

**SERVICE VOLTAGE RATING** . . . . . E3502.4

**SERVICES** . . . . . Chapter 35

**SEWAGE**

Disposal, private . . . . . P2602

**SEWER, BUILDING**

Definition . . . . . R202

Size . . . . . P3005.4.2

Testing . . . . . P2503.4

**SHAKES**

Wood . . . . . R702.6, R703.5, R905.8

**SHINGLE**

Asphalt shingles . . . . . R905.2

Metal . . . . . R905.4

Slate . . . . . R905.6

Wood . . . . . R905.7

**SHOWER**

Compartment . . . . . R307.2

Receptor . . . . . P2709

Stall dimensions . . . . . P2708

Walls . . . . . P2710

**SHUTOFF VALVE (see VALVES)**

**SIDING**

Exterior coverings . . . . . R703

**SINKS** . . . . . P2714

**SITE**

Address . . . . . R321

Preparation . . . . . R504.2, R506.2

**SIZE**

Of combustion air openings . . . . . Chapter 17

Of rooms . . . . . R304

Of trap . . . . . P3201.7

**SIZING METHODS**

Water piping . . . . . P2903.7

**SKYLIGHTS** . . . . . R308.6, N1102.3.5, N1102.4.1

**SLATE SHINGLES** . . . . . R905.6

**SMOKE DENSITY** . . . . . R315

**SMOKE ALARMS** . . . . . R313

**SNOW LOAD MAP** . . . . . R301.2(5)

**SOLAR HEAT GAIN COEFFICIENT (SHGC)** . . . . . N1101.5, N1101.8, N1102.3

**SOLAR ENERGY SYSTEMS** . . . . . M2301

**SPANS**

Steel (allowable) . . . . . R505.3.2, R804.3.3

Wood (allowable) . . . . . R502.3, R802.5

**SPAS** . . . . . E4108

**SPICES** . . . . . E3306.10

**SPLICES AND TAPS** . . . . . E3703.4

**STACK BOND** . . . . . R606.7

**STAIRWAYS** . . . . . R311.5

**STANDARDS** . . . . . Chapter 43, Appendix G

**STEEL**

Fireplace units . . . . . R1001.5.1

Floor construction . . . . . R505

Roof-ceiling construction . . . . . R804

Walls . . . . . R603

**STORY**

Definition . . . . . R202

**STOVES**

Factory-built fireplace . . . . . M1414

**STRUCTURAL AND PIPING PROTECTION** . . . . . P2603

**STUDS**

Wood . . . . . R602.2, R602.3

Spacing . . . . . R602.3.1

Steel . . . . . R603.2, R603.3

**SUPPLY**

Combustion air . . . . . Chapter 17

Fuel systems . . . . . Chapter 24

Oil supply pumps and valves . . . . . M2204

Required gas . . . . . Chapter 24

Return air . . . . . M1602

Water . . . . . Chapter 29

**SUPPORT**

Of ducts . . . . . M1601.3.2

Of joists . . . . . R502.6

Of masonry chimneys . . . . . R1001.3.1

Of pipe . . . . . M2101.9, Chapter 24, P2605

**SUPPORT REQUIREMENTS FOR WIRING METHODS** . . . . . E3702.1

**SWIMMING POOLS** . . . . . Chapter 41, Appendix G

**SWITCHES**

- Definition . . . . . E3401
- Rating and application . . . . . E3901

**SYSTEMS**

- Mechanical venting . . . . . Chapter 18, Chapter 24
- Plumbing, drainage, waste and venting . . . . . Chapters 25, 30 and 31

**T**

**TAIL PIECES** . . . . . P2703

**TANK**

- For fuel oil-burning appliances . . . . . M2201
- Septic, definition . . . . . R202

**TEMPERATURE ISOLINES** . . . . . Figure R301.2(1)

**TEMPERATURE LIMITATIONS** . . . . . E3605.4

**TERMINALS** . . . . . E3306.9

**TERMINATION**

- Of chimneys . . . . . R1001.9
- Of vents (general) . . . . . M1804.2

**TERMITES**

- Infestation probability map . . . . . Figure R301.2(6)

**TEST**

- For leaks in supply piping . . . . . Chapter 24
- Of building sewers . . . . . P2503.4
- Of plumbing systems . . . . . P2503

**THERMAL ISOLATION** . . . . . R202, N1102.2.10, N1102.3.3

**THICKNESS**

- Of chimney walls . . . . . R1001.10

**TIES**

- Veneer . . . . . R703.7.4.1

**TILE**

- Shingles (clay and concrete) . . . . . R905.3

**TOWNHOUSE**

- Definition . . . . . R202
- Scope . . . . . R101.2
- Separation . . . . . R317.2

**TRACK LIGHTING** . . . . . E3905

**TRAP** . . . . . Chapter 32

- Arm, definition . . . . . R202

**TRUSSES**

- Steel . . . . . R804.1.3
- Wood . . . . . R502.11, R802.10

**TYPE OF VENTING SYSTEMS**

- REQUIRED** . . . . . Chapter 18, Chapter 24

**U**

**U-FACTOR**

- Alternative . . . . . N1102.1.2
- Definition . . . . . R202

**UNDER FLOOR**

- Access to furnaces . . . . . M1305.1.4
- Combustion air . . . . . M1703.4
- Plenums . . . . . M1601.4
- Space . . . . . R408

**UNDERGROUND INSTALLATION**

**REQUIREMENTS**

- Duct systems . . . . . M1601.1.2
- Electrical cable . . . . . E3703
- Wiring . . . . . E4103.6

**UTILIZATION EQUIPMENT**

- Definition . . . . . E3401

**V**

**VALVES**

- Backwater . . . . . P3008
- Meter . . . . . Chapter 24
- Oil-supply . . . . . M2204
- Relief, water heater . . . . . P2803
- Shutoff, fuel-gas . . . . . Chapter 24
- Shutoff, fuel oil . . . . . M2204.2
- Water heaters . . . . . P2903.9.2
- Water supply . . . . . P2903.9

**VAPOR RETARDERS** . . . . . R318, N1102.2.8, N1102.5

- Definition . . . . . R202

**VENEER**

- Masonry . . . . . R703.7

**VENT**

- B or BW vent . . . . . Chapter 24
- Definition . . . . . Chapter 24
- L vent . . . . . M1804.2.4, Chapter 24
- Plumbing system, definition . . . . . R202
- Termination . . . . . M1804.2, M2203.5, P3103.3

**VENTED**

- Decorative appliances . . . . . Chapter 24
- Floor furnaces . . . . . M1408
- Room heaters . . . . . M1410
- Wall furnaces . . . . . M1409

**VENTILATION**

- Bathroom and kitchen . . . . . M1507
- For hydrogen systems . . . . . M1307.4
- Roof . . . . . R806
- Under floor . . . . . R408.1

**VENTING (Mechanical)**

- Chimney and vent connectors . . . . . M1803
- Components . . . . . M1802
- General . . . . . M1801
- Required . . . . . M1801, M2203.4
- Systems . . . . . Chapter 18

**VENTING (Plumbing)**

- Air admittance valves . . . . . P3114
- Circuit . . . . . P3110
- Combination waste and vent system . . . . . P3111
- Common . . . . . P3107
- Connections and grades . . . . . P3104
- Fixture . . . . . P3105
- Individual . . . . . P3106
- Island fixture . . . . . P3112
- Pipe sizing . . . . . P3113
- Stacks and stack vents . . . . . P3102
- Systems . . . . . P3101
- Terminals . . . . . P3103
- Waste stack . . . . . P3109
- Wet . . . . . P3108

**VERTICAL**

- Clearances above cooking top . . . . . M1901.1
- Pipe, definition . . . . . R202

**VIOLATIONS**

- And penalties . . . . . R113

**VOLTAGE**

- Definition . . . . . E3401

**VOLTAGE RATING (Services) . . . . . E3502.4**

**VOLTAGE TO GROUND**

- Definition . . . . . E3401

**VOLTAGES . . . . . E3304.1**

**W**

**WALL FURNACE (see APPLIANCE)**

- General . . . . . M1409.1
- Installation . . . . . M1409.3
- Location . . . . . M1409.2

**WALLBOARD**

- Gypsum . . . . . R702.3

**WALLS**

- Steel framing . . . . . R603
- Bracing, steel . . . . . R603.3.3
- Bracing, wood . . . . . R602.10
- Construction . . . . . Chapter 6
- Covering . . . . . Chapter 7
- Cripple . . . . . R602.9
- Deflection . . . . . R301.7
- Exterior covering . . . . . R703
- Finishes . . . . . R315, R702
- Fireplace . . . . . R1003.5
- Foundation . . . . . R404
- Insulating concrete form . . . . . R611
- Mass . . . . . N1102.2.3
- Steel framing . . . . . R603
- Thickness, masonry chimneys . . . . . R1003.10

- Wood framing . . . . . R602

**WARM-AIR FURNACES . . . . . M1402**

- Access to . . . . . M1401.2
- Clearance from . . . . . M1402.2

**WASTE**

- Continuous, definition . . . . . R202

**WATER**

- Distribution system, definition . . . . . R202
- Heater, definition . . . . . R202
- Heaters . . . . . Chapters 20, 24 and 28
- Individual supply and sewage disposal . . . . . P2602
- Piping sizing methods . . . . . P2903
- Supply and distribution . . . . . Chapter 29
- Supply system, definition . . . . . R202

**WATER CLOSET . . . . . R306.1**

**WATERPROOFING**

- And dampproofing . . . . . R406
- Of openings through roofs and walls . . . . . P2606

**WATERTIGHT**

- Definition applied to electrical provisions . . . . . E3401

**WEATHERPROOF**

- Definition applied to electrical provisions . . . . . E3401

**WHIRLPOOL BATHTUBS . . . . . P2720**

**WIND SPEED MAP . . . . . Figure R301.2(4)**

**WINDOW . . . . . R613**

**WIRING METHODS . . . . . Chapter 37**

**WOOD**

- Floor construction . . . . . R502
- Foundation walls . . . . . R404.2
- Roof-ceiling construction . . . . . R802
- Shakes . . . . . R905.8
- Shingles . . . . . R905.7
- Trusses . . . . . R502.11, R802.10
- Walls . . . . . R602

**WORKING SPACE . . . . . E3506.2**

- Around electrical equipment . . . . . E3305.1, E3305.2

**WORKMANSHIP, PLUMBING . . . . . P2607**

**Y**

**YARD**

- Definition . . . . . R202



## EDITORIAL CHANGES – SECOND PRINTING

Page 6, Section 109.1.5.2: entire section is deleted.

Page 47, Table R302.1: column 4, row 4 now reads . . . 2 feet

Page 56, Section R314.3: line 6 to the end now reads . . . not more than 450 when tested in the maximum thickness intended for use in accordance with ASTM E 84. Loose-fill-type foam plastic insulation shall be tested as board stock for the flame spread index and smoke-developed index.

Page 107, Table R503.2.1.1(1): column 4, row 10 now reads . . . 130

Page 137, Table R602.10.1: column 4, row 5 now reads . . . Located in accordance with Section R602.10 and at least every 25 feet on center but not less than 16% of braced wall line for Method 3 or 25% of braced wall line for Methods 2, 4, 5, 6, 7 or 8.

Page 137, Table R602.10.1: column 4, row 6 now reads . . . Located in accordance with Section R602.10 and at least every 25 feet on center but not less than 30% of braced wall line for Method 3 or 45% of braced wall line for Methods 2, 4, 5, 6, 7 or 8.

Page 267, Figure R802.5.1: figure has been replaced.

Page 293, Section R905.4.3: line 2 now reads . . . ASTM D 226, Type I or ASTM D 4869, Type I or II.

Page 294, Section R905.5.3: line 2 now reads . . . ASTM D 226, Type I or ASTM D 4869, Type I or II.

Page 294, Section R905.6.3: line 2 now reads . . . ASTM D 226, Type I or ASTM D 4869, Type I or II.

Page 294, Section R905.7.3: line 2 now reads . . . ASTM D 226, Type I or ASTM D 4869, Type I or II.

Page 295, Section R905.8.3: line 2 now reads . . . ASTM D 226, Type I or ASTM D 4869, Type I or II.

Page 298, Section R905.13.2: line 3 now reads . . . 6754, ASTM D 6878, or CAN/CGSB 37.54.

Page 325, Section M1305.1.3: line 2 now reads . . . ances requiring access shall be provided with an opening

Page 331, Section M1401.5: line 4 now reads . . . tion R324.1.5.

Page 334, Section M1415.1: line 2 now reads . . . accordance with Section R1002.

Page 336, Section M1506.2: line 2 now reads . . . **M1507.2 Recirculation of air.** Exhaust air from bathrooms

Page 338, Section M1601.3.8: line 3 now reads . . . located or installed in accordance with Section R324.1.5.

Page 349, Section M1805.1: now reads . . . **M1805.1 General.** Masonry and factory-built chimneys shall be built and installed in accordance with Sections R1003 and R1005, respectively. Flue lining for masonry chimneys shall comply with Section R1003.11.

Page 353, Section M2001.4: line 4 now reads . . . accordance with Section R324.1.5.

Page 365, Section G2403 (202): Connector definition is deleted.

Page 399, Section G2427.6 (503.6): line 2 now reads . . . tions G2427.6.1 through G2427.6.10. (See Section G2403,

Page 399, Section G2427.6.3 (503.6.3): entire section is deleted.

Page 422, Section G2451.2 (630.2): now reads . . . **G2451.2 (630.2) Support.** Infrared radiant heaters shall be fixed in a position independent of gas and electric supply lines. Hangers and brackets shall be of noncombustible material.

Page 481, Table E3502.2: row 4 now reads . . . 1,500 volt-amperes × total number of 20-ampere-rated small appliance and laundry circuits.

Page 506, Section E3801.4.5: Exception, line 3 now reads . . . countertop in construction designed for the physically

Page 526, Section E3809.2: now reads . . . **E3809.2 Loading and protection.** The ampere load of flexible cords serving fixed appliances shall be in accordance with Table E3809.2. This table shall be used in conjunction with applicable end use product standards to ensure selection of the proper size and type. Where flexible cord is approved for and used with a specific listed appliance, it shall be considered to be protected where applied within the appliance listing requirements.

Page 558, AWPA: new standard added now reads . . . C1—100 All Timber Products—Preservative Treatment by Pressure Processes R902.2

Page 560: new standard added DASMA

Page 565, UL: new standard added now reads . . . 651—05 Schedule 40 and Schedule 80 Rigid PVC Conduit and Fittings G2414.6.3

## EDITORIAL CHANGES – THIRD PRINTING

Page 242, Table R703.7.3: column 5 heading now reads . . . footnote b

Page 250, Table R802.5.1(1): For Rafter Spacing of 12 inches on center, under a Dead Load of 10 psf, under 2 × 4 the following entries now read . . . Douglas Fir Larch #1, 11-1; Douglas Fir Larch #2, 10-1

Page 298, Section 905.13.2: line 3 now reads . . . 6754, ASTM D 6878, or CGSB CAN/CGSB 37.54.

Page 325, Section M1301.1.1.1: line 4 now reads . . . installed in accordance with Section R324.1.5.

Page 341, Section M1701.6: line 4 now reads . . . Section R324.1.5.

Page 402, Section G2427.7.12: line 3 now reads . . . G2427.6.10.

Page 403, Section G2427.10.2: now reads . . . with Sections G2427.10.2.1 through G2427.10.2.4.

Page 411, Section G2428.2.9: Exception deleted

Page 417, Section G2428.3.16: Exception deleted